

CROP CONDITION & DEVELOPMENT STAGES


MARCH, 22
2018



BUENOS AIRES GRAIN EXCHANGE
DEPARTMENT OF AGRICULTURAL
ESTIMATES

ISSN 2591-4715

DEPARTMENT & REGIONS



- I - NOA (Noroeste Argentino)
- II - NEA (Noreste Argentino)
- III - Centro-Norte de Córdoba
- IV - Sur de Córdoba
- V - Centro-Norte de Santa Fe
- VI - Núcleo Norte
- VII - Núcleo Sur
- VIII - Centro-Este de Entre Ríos
- IX - Norte de La Pampa - Oeste de Buenos Aires
- X - Centro de Buenos Aires
- XI - Sudoeste de Buenos Aires - Sur de La Pampa
- XII - Sudeste de Buenos Aires
- XIII - San Luis
- XIV - Cuenca del Salado
- XV - Corrientes - Misiones

HEAD OF DEPARTMENT

Esteban J Copati
ecopati@bc.org.ar

CROP ANALYST

Martin López
martinlopez@bc.org.ar

COORDINATOR

Gonzalo Hermida
ghermida@bc.org.ar

SATELLITE IMAGES ANALYST

María Victoria Corte
mcorte@bc.org.ar

CROP CONDITION ANALYST

Daniela A. Venturino
dventurino@bc.org.ar
Wheat & Sunflower

Santiago Burrone
sburrone@bc.org.ar
Corn

Ayelén Gago
amgago@bc.org.ar
Soybean

CONTACT

Av. Corrientes 123
C1043AAB - CABA
Phone: +54 11 4515 8200 | 8300
estimacionesagricolas@bc.org.ar
Twitter: @estimacionesbc

ISSN 2591-4715

CROP CONDITION & DEVELOPMENT STAGES

Findings of the survey conducted through March 21, 2018. The areas under analysis in this report account for 90% of the crops planted area. The regional development data is published once planting is complete. The national planting and harvest progress, as well as the phenological data of the crops derive from the final area projection, while the moisture and crop condition derive from the planting progress to date.

Sunflower

Sunflower Condition: as of March 21, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	13,0	20,0	27,0	40,0	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	56,0	35,0	9,0	-	-
XII SE BA	13,0	24,0	31,0	32,0	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	8,0	30,0	34,0	28,0	-
XV Others	-	-	-	-	-
National	29,0	28,5	22,8	19,7	-

Sunflower Moisture Condition: as of March 21, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	-	-	-	-	-
IV S Cba	-	-	-	-	-
V Ctro N SFe	-	-	-	-	-
VI Núcleo Norte	-	-	-	-	-
VII Núcleo Sur	-	-	-	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	24,0	51,0	25,0	-	-
X Ctro Bs As	-	-	-	-	-
XI SO BA-S LP	82,0	18,0	-	-	-
XII SE BA	33,0	43,0	24,0	-	-
XIII San Luis	-	-	-	-	-
XIV Cuenca Sal	15,0	52,0	33,0	-	-
XV Others	-	-	-	-	-
National	50,3	34,9	14,8	-	-

CROP CONDITION & DEVELOPMENT STAGES

Sunflower Mature: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	-	-	-	-
VII	Núcleo Sur	-	-	-	-
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	92,0	100,0	98,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	88,0	78,0	89,0	85,0
XII	SE BA	74,0	62,0	73,0	75,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	96,0	94,0	100,0	95,0
XV	Others	-	-	-	-
National		90,9	85,1	91,2	88,1

Sunflower Harvested: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	90,6
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	99,2
VII	Núcleo Sur	100,0	100,0	100,0	99,0
VIII	Ctro E ER	100,0	100,0	100,0	92,2
IX	N LP-OBA	65,0	38,0	63,0	78,4
X	Ctro Bs As	60,0	25,0	60,0	75,6
XI	SO BA-S LP	49,0	20,0	39,0	60,4
XII	SE BA	40,0	18,0	35,0	43,4
XIII	San Luis	65,0	42,0	65,0	72,6
XIV	Cuenca Sal	60,0	27,0	50,0	77,8
XV	Others	100,0	100,0	100,0	94,0
National		67,2	53,0	65,3	69,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn

Early Corn Condition: as of March 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	9,1	21,4	29,7	39,8	-
II	NEA	14,2	33,6	37,5	10,5	4,2
III	Ctro N Cba	47,1	32,6	16,2	4,1	-
IV	S Cba	43,1	32,1	19,5	5,3	-
V	Ctro N SFe	93,5	5,3	1,2	-	-
VI	Núcleo Norte	39,4	48,0	9,6	3,0	-
VII	Núcleo Sur	46,7	30,1	21,0	2,2	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	33,7	31,0	25,7	9,6	-
X	Ctro Bs As	67,0	18,0	13,0	2,0	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	32,9	38,0	18,7	10,4	-
XIII	San Luis	17,5	33,6	31,5	17,4	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		29,5	30,5	25,5	13,3	1,1

Early Corn Moisture Condition: as of March 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	14,2	36,4	38,4	7,0	4,0
II	NEA	30,5	51,4	12,1	6,0	-
III	Ctro N Cba	84,6	14,5	0,9	-	-
IV	S Cba	81,3	17,1	1,6	-	-
V	Ctro N SFe	83,4	16,2	0,4	-	-
VI	Núcleo Norte	74,7	25,3	-	-	-
VII	Núcleo Sur	63,2	30,3	6,5	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	32,0	59,0	9,0	-	-
X	Ctro Bs As	67,1	28,0	4,9	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	19,4	38,2	36,7	5,7	-
XIII	San Luis	32,6	54,7	12,7	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		42,4	38,8	14,6	3,5	0,7

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Pollination: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	100,0	81,3	88,5	98,3
II	NEA	100,0	80,2	86,4	95,5
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	93,5	95,7	99,5

Early Corn Silking: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	100,0	65,8	76,4	93,5
II	NEA	97,5	67,1	77,3	91,3
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		99,7	88,8	92,3	98,9

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Grain Growth: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	28,1	-	3,5	18,3
II	NEA	15,5	-	1,7	17,2
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	95,2	91,0	100,0	90,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		82,1	66,1	67,4	87,5

Early Corn Mature: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	98,0	95,4	99,0	85,8
IV	S Cba	100,0	97,3	100,0	96,5
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	98,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	94,5	90,2	97,7	79,9
X	Ctro Bs As	87,5	62,5	88,9	71,1
XI	SO BA-S LP	-	-	-	-
XII	SE BA	35,3	37,5	59,8	44,7
XIII	San Luis	62,5	55,0	80,0	66,7
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		69,2	57,5	62,2	74,0

CROP CONDITION & DEVELOPMENT STAGES

Early Corn Harvested: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	20,0	19,0	54,0	15,4
IV S Cba	18,0	12,0	15,0	10,0
V Ctro N SFe	81,0	85,0	94,0	78,4
VI Núcleo Norte	30,0	38,0	58,0	22,4
VII Núcleo Sur	15,0	13,0	36,0	18,8
VIII Ctro E ER	56,0	74,0	90,0	61,6
IX N LP-OBA	12,5	4,0	18,0	10,7
X Ctro Bs As	12,0	4,0	8,0	5,4
XI SO BA-S LP	-	-	-	0,4
XII SE BA	-	-	-	-
XIII San Luis	7,5	8,0	12,0	2,3
XIV Cuenca Sal	10,0	4,0	8,0	7,0
XV Others	100,0	65,0	75,0	97,0
National	16,4	16,3	27,1	15,8

Late Corn

Late Corn Condition: as of March 21, 2018

Regions	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	-	-	-	-	-
II NEA	-	-	-	-	-
III Ctro N Cba	65,7	29,0	5,3	-	-
IV S Cba	73,7	19,7	6,6	-	-
V Ctro N SFe	88,7	11,3	-	-	-
VI Núcleo Norte	84,5	12,3	3,2	-	-
VII Núcleo Sur	67,4	22,1	10,5	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	36,8	46,3	11,5	5,4	-
X Ctro Bs As	67,5	21,7	7,8	3,0	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	34,0	27,5	28,0	10,5	-
XIII San Luis	28,5	30,2	29,0	12,3	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	62,4	26,3	9,0	2,3	-

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Moisture Condition: as of March 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	87,2	12,8	-	-	-
IV	S Cba	86,7	13,3	-	-	-
V	Ctro N SFe	88,9	11,1	-	-	-
VI	Núcleo Norte	87,5	12,5	-	-	-
VII	Núcleo Sur	68,4	24,4	7,2	-	-
VIII	Ctro E ER	-	-	-	-	-
IX	N LP-OBA	44,3	47,7	8,0	-	-
X	Ctro Bs As	71,5	26,9	1,6	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	14,5	48,4	32,5	4,6	-
XIII	San Luis	43,2	30,1	26,7	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		72,9	21,4	5,4	0,3	-

Late Corn Pollination: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	84,0	95,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	100,0	100,0	100,0	100,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	88,9	94,2	100,0
XIII	San Luis	100,0	100,0	100,0	100,0
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	98,7	99,5	100,0

CROP CONDITION & DEVELOPMENT STAGES

Late Corn Silking: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	100,0	95,0	100,0	100,0
IV S Cba	100,0	96,0	100,0	100,0
V Ctro N SFe	94,2	70,0	82,3	95,0
VI Núcleo Norte	100,0	89,3	100,0	95,0
VII Núcleo Sur	100,0	93,5	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	99,2	100,0	100,0
X Ctro Bs As	100,0	98,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	99,0	89,1	92,8	95,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	99,6	94,4	98,7	99,4

Late Corn Grain Growth: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	52,0	17,0	33,2	45,0
IV S Cba	53,2	21,0	48,3	58,0
V Ctro N SFe	18,5	-	2,5	21,9
VI Núcleo Norte	52,0	13,5	42,3	55,2
VII Núcleo Sur	58,0	18,0	29,0	40,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	49,0	19,0	44,4	40,0
X Ctro Bs As	53,0	22,2	34,9	40,2
XI SO BA-S LP	-	-	-	5,0
XII SE BA	45,0	18,5	35,5	48,3
XIII San Luis	49,8	29,3	45,1	53,3
XIV Cuenca Sal	-	-	-	8,0
XV Others	-	-	-	8,0
National	48,7	18,8	37,2	46,1

CROP CONDITION & DEVELOPMENT STAGES

Corn

Corn Condition: as of March 21, 2018

♀	Very Poor %	Poor %	Fair %	Good %	Excellent %
I NOA	9,1	21,4	29,7	39,8	-
II NEA	14,2	33,6	37,5	10,5	4,2
III Ctro N Cba	64,3	29,3	6,1	0,3	-
IV S Cba	68,7	21,7	8,7	0,9	-
V Ctro N SFe	89,2	10,7	0,1	-	-
VI Núcleo Norte	52,7	37,5	7,7	2,1	-
VII Núcleo Sur	52,7	27,8	18,0	1,6	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	35,4	39,2	18,1	7,3	-
X Ctro Bs As	67,3	20,3	9,8	2,6	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	33,3	33,8	22,4	10,4	-
XIII San Luis	26,5	30,8	29,5	13,2	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	46,9	28,3	16,8	7,5	0,5

Corn Moisture Condition: as of March 21, 2018

Regions	Dry %	Poor %	Favourable %	Optimum %	Wet %
I NOA	14,2	36,4	38,4	7,0	4,0
II NEA	30,5	51,4	12,1	6,0	-
III Ctro N Cba	87,0	12,9	0,1	-	-
IV S Cba	85,8	13,9	0,3	-	-
V Ctro N SFe	88,4	11,6	0,0	-	-
VI Núcleo Norte	78,5	21,5	-	-	-
VII Núcleo Sur	64,7	28,6	6,7	-	-
VIII Ctro E ER	-	-	-	-	-
IX N LP-OBA	38,6	52,9	8,5	-	-
X Ctro Bs As	69,8	27,3	2,8	-	-
XI SO BA-S LP	-	-	-	-	-
XII SE BA	17,4	42,3	35,0	5,3	-
XIII San Luis	41,3	34,5	24,2	-	-
XIV Cuenca Sal	-	-	-	-	-
XV Others	-	-	-	-	-
National	58,6	29,6	9,7	1,8	0,3

CROP CONDITION & DEVELOPMENT STAGES

Corn Pollination: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	100,0	81,3	88,5	98,3
II NEA	100,0	80,2	86,4	95,5
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	89,6	96,8	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	100,0	100,0	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	100,0	95,6	97,7	100,0
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	100,0	95,9	97,5	99,4

Corn Silking: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	100,0	65,8	76,4	93,5
II NEA	97,5	67,1	77,3	91,3
III Ctro N Cba	100,0	95,8	100,0	100,0
IV S Cba	100,0	96,8	100,0	100,0
V Ctro N SFe	95,9	80,5	88,5	97,0
VI Núcleo Norte	100,0	98,4	100,0	99,0
VII Núcleo Sur	100,0	98,7	100,0	100,0
VIII Ctro E ER	-	-	-	-
IX N LP-OBA	100,0	99,6	100,0	100,0
X Ctro Bs As	100,0	98,8	100,0	100,0
XI SO BA-S LP	-	-	-	-
XII SE BA	99,8	95,6	97,1	99,2
XIII San Luis	100,0	100,0	100,0	100,0
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	99,5	91,4	95,3	98,4

CROP CONDITION & DEVELOPMENT STAGES

Corn Grain Growth: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	28,1	-	3,5	18,3
II	NEA	15,5	-	1,7	17,2
III	Ctro N Cba	59,2	29,5	43,2	52,7
IV	S Cba	67,2	36,8	58,6	70,3
V	Ctro N SFe	43,0	35,0	36,6	52,8
VI	Núcleo Norte	92,8	87,0	91,3	90,9
VII	Núcleo Sur	93,7	83,6	85,8	87,2
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	69,4	59,5	72,2	69,2
X	Ctro Bs As	76,5	53,3	60,9	77,0
XI	SO BA-S LP	-	-	-	-
XII	SE BA	85,2	62,0	74,2	83,1
XIII	San Luis	59,8	43,4	56,1	66,3
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		63,1	44,4	53,5	62,8

Corn Mature: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	14,7	14,3	14,9	12,1
IV	S Cba	30,0	19,5	20,0	28,3
V	Ctro N SFe	30,0	35,0	35,0	39,6
VI	Núcleo Norte	85,0	85,0	85,0	79,6
VII	Núcleo Sur	85,0	78,4	80,0	78,7
VIII	Ctro E ER	-	-	-	-
IX	N LP-OBA	37,8	45,1	48,9	38,9
X	Ctro Bs As	43,8	25,0	35,6	43,7
XI	SO BA-S LP	-	-	-	-
XII	SE BA	28,2	22,5	35,9	37,3
XIII	San Luis	12,5	11,0	16,0	18,6
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		34,0	31,1	33,6	35,1

CROP CONDITION & DEVELOPMENT STAGES

Corn Harvested: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	3,0	2,9	8,1	2,7
IV	S Cba	5,4	3,6	4,5	3,5
V	Ctro N SFe	24,3	25,5	28,2	32,6
VI	Núcleo Norte	25,5	32,3	49,3	17,5
VII	Núcleo Sur	12,8	11,1	30,6	13,5
VIII	Ctro E ER	36,4	48,1	58,5	39,0
IX	N LP-OBA	5,0	1,6	7,2	5,1
X	Ctro Bs As	6,0	2,0	4,0	3,4
XI	SO BA-S LP	-	-	-	0,3
XII	SE BA	-	-	-	-
XIII	San Luis	1,5	1,6	2,4	0,7
XIV	Cuenca Sal	6,0	2,4	4,8	5,4
XV	Others	40,0	26,0	30,0	35,5
National		8,1	8,0	13,3	7,9

First Soybean

First Soybean Condition: as of March 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	4,0	15,0	64,0	17,0	-
II	NEA	20,0	31,0	29,0	20,0	-
III	Ctro N Cba	50,0	24,0	26,0	-	-
IV	S Cba	60,2	21,8	18,0	-	-
V	Ctro N SFe	74,8	18,7	6,5	-	-
VI	Núcleo Norte	59,3	31,2	6,7	2,8	-
VII	Núcleo Sur	25,0	51,0	16,0	8,0	-
VIII	Ctro E ER	88,4	11,6	-	-	-
IX	N LP-OBA	21,3	50,6	23,1	5,0	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	28,0	42,0	30,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		43,9	32,4	19,0	4,7	-

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Moisture Condition: as of March 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	14,6	32,4	44,6	5,3	3,1
II	NEA	29,0	57,2	8,3	5,5	-
III	Ctro N Cba	78,7	18,2	3,1	-	-
IV	S Cba	78,8	21,2	-	-	-
V	Ctro N SFe	85,9	14,1	-	-	-
VI	Núcleo Norte	77,6	22,4	-	-	-
VII	Núcleo Sur	47,7	41,2	11,1	-	-
VIII	Ctro E ER	85,7	14,3	-	-	-
IX	N LP-OBA	16,8	51,3	31,9	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	21,0	52,0	27,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		56,3	32,4	10,5	0,7	0,2

First Soybean Beginning Bloom: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	100,0	81,0	91,0	100,0
II	NEA	100,0	80,0	92,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	97,6	99,0	100,0

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Beginning Pod: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	80,0	49,0	67,0	85,0
II NEA	71,0	45,0	63,0	83,3
III Ctro N Cba	100,0	100,0	100,0	100,0
IV S Cba	100,0	100,0	100,0	100,0
V Ctro N SFe	100,0	100,0	100,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	100,0	100,0	100,0
IX N LP-OBA	100,0	100,0	100,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	95,0	80,0	91,0	100,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	96,3	92,2	95,2	97,8

First Soybean Beginning Seed: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	45,0	24,0	43,0	55,0
II NEA	40,0	21,0	40,0	47,1
III Ctro N Cba	100,0	85,0	98,0	100,0
IV S Cba	100,0	77,0	92,0	100,0
V Ctro N SFe	100,0	80,0	95,0	100,0
VI Núcleo Norte	100,0	98,0	100,0	100,0
VII Núcleo Sur	100,0	90,0	100,0	100,0
VIII Ctro E ER	80,0	60,0	78,0	86,0
IX N LP-OBA	91,0	77,0	94,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	64,0	48,0	67,0	79,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	86,0	72,8	86,3	90,1

CROP CONDITION & DEVELOPMENT STAGES

First Soybean Mature: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	40,0	25,0	42,0	43,0
IV	S Cba	33,0	23,0	31,0	29,0
V	Ctro N SFe	30,0	18,0	28,0	42,0
VI	Núcleo Norte	34,4	30,0	40,0	28,2
VII	Núcleo Sur	28,0	15,0	30,0	18,0
VIII	Ctro E ER	8,0	4,0	14,0	10,2
IX	N LP-OBA	5,0	2,0	22,0	12,5
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		20,7	14,1	25,4	20,1

Second Soybean

Second Soybean Condition: as of March 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	8,0	27,0	39,0	26,0	-
II	NEA	30,0	65,0	5,0	-	-
III	Ctro N Cba	79,0	16,0	5,0	-	-
IV	S Cba	81,0	19,0	-	-	-
V	Ctro N SFe	77,8	22,2	-	-	-
VI	Núcleo Norte	87,9	4,0	8,1	-	-
VII	Núcleo Sur	70,0	21,0	9,0	-	-
VIII	Ctro E ER	88,0	12,0	-	-	-
IX	N LP-OBA	39,0	47,3	8,1	5,6	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	67,0	26,0	7,0	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		65,4	24,2	7,9	2,4	-

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Moisture Condition: as of March 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	13,0	32,0	50,0	5,0	-
II	NEA	51,0	30,0	10,0	9,0	-
III	Ctro N Cba	32,0	65,0	3,0	-	-
IV	S Cba	88,2	11,8	-	-	-
V	Ctro N SFe	94,3	5,7	-	-	-
VI	Núcleo Norte	89,0	11,0	-	-	-
VII	Núcleo Sur	64,5	26,2	9,3	-	-
VIII	Ctro E ER	91,3	8,7	-	-	-
IX	N LP-OBA	30,9	64,9	4,2	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	58,0	36,4	5,6	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		61,2	30,3	7,2	1,2	-

Second Soybean Leaf Development: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	100,0	98,0	100,0	100,0
II	NEA	100,0	100,0	100,0	100,0
III	Ctro N Cba	100,0	100,0	100,0	100,0
IV	S Cba	100,0	100,0	100,0	100,0
V	Ctro N SFe	100,0	100,0	100,0	100,0
VI	Núcleo Norte	100,0	100,0	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	100,0	100,0	100,0
IX	N LP-OBA	100,0	100,0	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	99,9	100,0	100,0

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Beginning Bloom: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	84,0	55,0	72,0	90,0
II NEA	81,0	57,0	75,0	86,7
III Ctro N Cba	100,0	89,0	100,0	100,0
IV S Cba	100,0	88,0	100,0	100,0
V Ctro N SFe	100,0	74,0	92,0	100,0
VI Núcleo Norte	100,0	100,0	100,0	100,0
VII Núcleo Sur	100,0	98,0	100,0	100,0
VIII Ctro E ER	100,0	83,0	100,0	100,0
IX N LP-OBA	100,0	76,0	95,0	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	85,0	60,0	79,0	90,0
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	95,7	77,9	90,7	96,3

Second Soybean Beginning Pod: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	42,0	34,0	46,0	45,0
II NEA	49,0	35,0	48,0	52,0
III Ctro N Cba	70,0	50,0	66,0	77,1
IV S Cba	76,0	56,0	71,0	82,4
V Ctro N SFe	62,0	42,0	58,0	74,8
VI Núcleo Norte	84,0	65,0	83,0	93,0
VII Núcleo Sur	70,0	50,0	67,0	77,0
VIII Ctro E ER	57,0	42,0	60,0	72,0
IX N LP-OBA	59,0	44,0	61,0	74,1
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	46,0	23,0	42,0	65,3
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	63,1	44,1	60,7	70,4

CROP CONDITION & DEVELOPMENT STAGES

Second Soybean Beginning Seed: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	22,0	9,0	20,0	17,0
II	NEA	18,0	-	3,0	15,0
III	Ctro N Cba	43,0	26,0	42,0	45,0
IV	S Cba	38,0	25,0	38,0	40,0
V	Ctro N SFe	29,0	15,0	29,0	26,0
VI	Núcleo Norte	39,0	25,0	43,0	45,0
VII	Núcleo Sur	42,0	18,0	38,0	46,2
VIII	Ctro E ER	28,0	8,0	27,0	33,6
IX	N LP-OBA	39,0	20,0	38,0	42,6
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	18,0	-	16,0	24,7
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		33,1	15,0	29,6	34,0

Soybean

Soybean Condition: as of March 21, 2018

Regions		Very Poor %	Poor %	Fair %	Good %	Excellent %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	67,0	23,9	7,1	2,0	-
VII	Núcleo Sur	33,4	45,4	14,7	6,5	-
VIII	Ctro E ER	88,4	11,7	-	-	-
IX	N LP-OBA	25,0	49,9	20,0	5,1	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	45,6	34,8	19,7	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		49,9	30,1	15,9	4,1	-

CROP CONDITION & DEVELOPMENT STAGES

Soybean Moisture Condition: as of March 21, 2018

Regions		Dry %	Poor %	Favourable %	Optimum %	Wet %
I	NOA	-	-	-	-	-
II	NEA	-	-	-	-	-
III	Ctro N Cba	-	-	-	-	-
IV	S Cba	-	-	-	-	-
V	Ctro N SFe	-	-	-	-	-
VI	Núcleo Norte	80,7	19,4	-	-	-
VII	Núcleo Sur	50,9	38,4	10,8	-	-
VIII	Ctro E ER	86,6	13,5	-	-	-
IX	N LP-OBA	19,8	54,2	26,1	-	-
X	Ctro Bs As	-	-	-	-	-
XI	SO BA-S LP	-	-	-	-	-
XII	SE BA	37,7	45,0	17,4	-	-
XIII	San Luis	-	-	-	-	-
XIV	Cuenca Sal	-	-	-	-	-
XV	Others	-	-	-	-	-
National		57,7	31,8	9,6	0,8	0,1

Soybean Leaf Development: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	100,0	99,1	100,0	100,0
VII	Núcleo Sur	100,0	100,0	100,0	100,0
VIII	Ctro E ER	100,0	99,1	100,0	100,0
IX	N LP-OBA	100,0	99,5	100,0	100,0
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	100,0	100,0	100,0	100,0
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		100,0	99,7	100,0	100,0

CROP CONDITION & DEVELOPMENT STAGES

Soybean Beginning Bloom: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	-	-	-	-
VI Núcleo Norte	100,0	99,1	100,0	100,0
VII Núcleo Sur	100,0	100,0	100,0	100,0
VIII Ctro E ER	100,0	96,2	100,0	100,0
IX N LP-OBA	100,0	94,1	98,4	100,0
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	93,3	81,7	90,5	95,9
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	98,2	91,8	96,4	99,3

Soybean Beginning Pod: as of March 21, 2018

Regions	March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I NOA	-	-	-	-
II NEA	-	-	-	-
III Ctro N Cba	-	-	-	-
IV S Cba	-	-	-	-
V Ctro N SFe	-	-	-	-
VI Núcleo Norte	95,8	90,7	95,5	98,2
VII Núcleo Sur	94,4	90,6	93,8	95,7
VIII Ctro E ER	93,5	91,2	94,0	95,8
IX N LP-OBA	91,4	88,2	91,8	94,6
X Ctro Bs As	-	-	-	-
XI SO BA-S LP	-	-	-	-
XII SE BA	73,0	54,4	69,0	84,4
XIII San Luis	-	-	-	-
XIV Cuenca Sal	-	-	-	-
XV Others	-	-	-	-
National	86,7	78,9	85,6	90,2

CROP CONDITION & DEVELOPMENT STAGES

Soybean Beginning Seed: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	83,7	78,5	84,8	85,3
VII	Núcleo Sur	89,1	76,5	88,4	89,9
VIII	Ctro E ER	72,1	52,1	70,3	78,1
IX	N LP-OBA	80,1	65,0	82,2	87,9
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	43,3	26,4	44,1	54,6
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		71,3	56,7	70,4	74,3

Soybean Mature: as of March 21, 2018

Regions		March 22, 2017 %	March 14, 2018 %	March 21, 2018 %	2012/2017 Average %
I	NOA	-	-	-	-
II	NEA	-	-	-	-
III	Ctro N Cba	-	-	-	-
IV	S Cba	-	-	-	-
V	Ctro N SFe	-	-	-	-
VI	Núcleo Norte	25,2	22,0	29,3	20,6
VII	Núcleo Sur	22,7	12,2	24,4	14,6
VIII	Ctro E ER	6,8	3,4	11,9	8,7
IX	N LP-OBA	4,0	1,6	17,4	9,9
X	Ctro Bs As	-	-	-	-
XI	SO BA-S LP	-	-	-	-
XII	SE BA	-	-	-	-
XIII	San Luis	-	-	-	-
XIV	Cuenca Sal	-	-	-	-
XV	Others	-	-	-	-
National		15,0	10,1	18,3	14,3